

SCHEDULE - VI

[See Clauses 3(3)(6), 10 and 11(3) under Plant Quarantine (Regulation of Import into India) Order, 2003]

LIST OF PLANTS/ PLANT MATERIALS PERMITTED IMPORT WITH ADDITIONAL DECLARATIONS AND SPECIAL CONDITIONS

AMENDMENT TO THE SCHEDULE – VI APPROVED BY DAC'S VIDE LETTER No. 8-5/2004-PP.I DATED 04.06.2004 FOR ADDITIONAL COMMODITIES

211.	Cherry (<i>Prunus</i> spp.)	Wood with bark	USA	Free from: (a) <i>Scolytus rugulosus</i> (Shothole borer) (b) <i>Synanthedon exitiosa</i> (peachtree borer) (c) <i>Xyleborus dispar</i> (ambrosia beetle)	(i) Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent there of or any other treatment duly approved by the PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.
			North America (except USA)	Free from : (a) <i>Pseudococcus maritimus</i> (Grape mealybug)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.

			Europe	Free from: (a) <i>Phenacoccus aceris</i> (Apple mealybug)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re
212.	Douglas Fir (<i>Pseudotsuga menziesii</i>)	Wood with bark	China, North America.	Free from : (a) <i>Dendroctonus pseudotsugae</i> (Douglas fir beetle)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re
			Malaysia	Nil	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on

					Phytosanitary Certificate issued at the country of origin/re-export
213.	Firwood (Abies spp.)	Wood with bark	Europe	Free from: (a) (a) <i>Ips typographus</i> (Spruce bark beetle) (b) (b) <i>Pityogenes chalcographus</i> (Bark beetle, six dentated) (c) (c) <i>Tomicus piniperda</i> (Beetle, pine)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export
			North America	Free from : (a) (a) <i>Dendroctonus rufipennis</i> (Spruce beetle) (b) (b) <i>Dioryctria abietivorella</i> (Fir coneworm) (c) (c) <i>Dryocoetes confuses</i> (Western balsam bark beetle) (d) (d) <i>Pityokteines sparsus</i> (Balsam fir bark beetle) (e) (e) <i>Polygraphus rufipennis</i> (Foureyed spruce bark beetle) (f) (f) <i>Tomicus piniperda</i> (Beetle, pine)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export
214.	Green heart (Ocotea spp.)	Wood with bark	Central America & South America	Nil	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at

					21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export
215.	Sapeli (<i>Entandrophragma</i> spp.)	Wood with bark	World (all countries)	Free from: (a) <i>Hypsipyla robusta</i>	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export .
216.	Spruce <i>abies</i>) (<i>Picea</i>	Wood with bark	North America	Free from: (a) (a) <i>Pityogenes bidentatus</i> (Two-toothed pine beetle) (b) (b) <i>Ips typographus</i> (Spruce bark beetle) (c) (c) <i>Dendroctonus micans</i> (European Spruce beetle) (d) (d) <i>Pissodes</i> spp. (Pine weevil) (e) (e) <i>Tomicus</i>	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of

				<i>piniperda</i> (Beetle, pine)	origin/re
			China	Free from : (a) <i>Dendroctonus micans</i> (European Spruce beetle) (b) <i>Ips typographus</i> (Spruce bark beetle)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re
			Africa	Free from : (a) <i>Hylobius abietis</i> (Fir-tree weevil)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on

					Phytosanitary Certificate issued at the country of origin/re
			Africa	Free from : (a) <i>Hylobius abietis</i> (Fir-tree weevil)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re
			Europe	Free from: (a) <i>Pityogenes bidentatus</i> (Two-toothed pine beetle) (b) <i>Ips typographus</i> (Spruce bark beetle) (c) <i>Dendroctonus micans</i> (European Spruce beetle) (d) <i>Pissodes</i> spp. (Pine weevil) (e) <i>Tomicus piniperda</i> (Beetle, pine) (f) <i>Zeiraphera</i> spp.	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re
			Malaysia	Nil	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above

					or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re
217.	Hickory logs (<i>Carya glabra</i>)	Wood with bark	North America	Nil	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export
218.	Walnut (<i>Juglans nigra</i>)	Wood with bark	USA	Free from: (a) (<i>Hyphantria cunea</i>) (Blackheaded webworm) (b) (<i>Popillia japonica</i>) (Japanese beetle) (c) (<i>Xyleborus affinis</i>) (Shot-hole borer of sugarcane) (d) (<i>Xylosandrus germanus</i>) (Smaller alnus bark beetle) (e) (<i>Zeuzera pyrina</i>) (moth, wood leopard) (f) (<i>Rhizobium</i>)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export

				<i>rhizogenes</i> (bacterial gall)	
			Europe	Free from : (a) <i>Apomyelois ceratoniae</i> (Carob, moth)	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.
			North America (except USA)	Nil	Fumigation with Methyl bromide at 48 g. per cubic metre for 24 hrs. at 21°C and above or equivalent thereof or any other treatment approved by PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the country of origin/re-export.
219.	Willows (<i>Salix spp</i>)	Wood (clefts)	United Kingdom	Free from: (a) <i>Xyleborus dispar</i> (ambrosia beetle) (b) <i>Zeuzera pyrina</i> (moth, wood leopard)	(i) Fumigation with Methyl bromide at 48 g per cubic metre for 16 hrs. at 21°C and above or equivalent there of or heat treatment at 56°C for 30 minutes or any other treatment

					approved by the PPA. The treatment should be endorsed on Phytosanitary Certificate issued at the Country of Origin/re-export.
--	--	--	--	--	---

[Back](#)